

School District	IBM Code	Total Levy	Lakewood Hills	Water District	Sewer District	Fire District	Fire Bonds	Ord County	Charles Lea Center	Library	Tech School	Storm Fund	Co Debt Service	Current School	School Bonds	General School	McCarthy Teszler	Voc School	Co Wide Fire
IND ABAT		06.79						04.90	00.13	01.04			00.67						00.05
														Inc.Tch Eq .30 & Alt Sch .37 Gen Fd 16.98					
1 A		35.95						05.12	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1CBF	1I	38.92				02.40		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1GOF	1E	40.04				03.52		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1HSF	06	39.71				03.19		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1ICF	1C	38.77				02.25		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IW		36.52						05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IW A	02	35.95						05.12	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IW E	02	36.43						05.60	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWCBF	1J	38.92				02.40		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWCBF A		38.35				02.40		05.12	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWHSF	1P	39.71				03.19		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWICF		38.77				02.25		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWICF E		38.68				02.25		05.60	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWINF	1R	36.85				00.33		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWINF E		36.76				00.33		05.60	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWLCF	1L	41.11				04.59		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWNSF	1F	39.62				03.10		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1IWTR G		39.08				02.65		05.60	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1LCF	1K	41.11				04.59		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1LCF F		40.54				04.59		05.12	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1LWCSF	1N	38.69				02.17		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1LWNPF	1H	37.72				01.20		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1NPF	03	37.72				01.20		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1SSLCF	9U	41.97			00.86	04.59		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1SSLCF F		41.40			00.86	04.59		05.12	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
1SSNPF		38.58			00.86	01.20		05.69	00.13	01.04	00.62	00.10	00.67	17.65	07.40	01.30	01.09	00.78	00.05
2BSF	09	34.81				01.60	00.20	05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2CCF	2D	34.88				01.87		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05

School District	IBM Code	Total Levy	Lakewood Hills	Water District	Sewer District	Fire District	Fire Bonds	Ord County	Charles Lea Center	Library	Tech School	Storm Fund	Co Debt Service	Current School	School Bonds	General School	McCarthy Teszler	Voc School	Co Wide Fire
2CKF	11	36.31				03.30		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2CSF	2P	35.18				02.17		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2IW E	19	32.92						05.60	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2IWICF	2J	35.26				02.25		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2IWICF E		35.17				02.25		05.60	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2IWNSF	21	36.11				03.10		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2IWNSF E		36.02				03.10		05.60	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2LWCCF	2E	34.88				01.87		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2LWCKF	13	36.31				03.30		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2LWCSF	2R	35.18				02.17		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2LWMF	2B	36.84				03.00	00.83	05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2LWNPF	14	34.21				01.20		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2MF	2A	36.84				03.00	00.83	05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2NPF	16	34.21				01.20		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2NSF	17	36.11				03.10		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSBSF	2F	35.67			00.86	01.60	00.20	05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSCKF	2H	37.17			00.86	03.30		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSIWBSF	2L	35.67			00.86	01.60	00.20	05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSIWNSF	15	36.97			00.86	03.10		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSLWCCB		35.65			00.86	01.87		05.60	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSLWCCF		35.74			00.86	01.87		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSLWCKF	2M	37.17			00.86	03.30		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSLWNPF	9T	35.07			00.86	01.20		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSMWNS		43.56		06.59	00.86	03.10		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSNPF	2K	35.07			00.86	01.20		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSNSF	2C	36.97			00.86	03.10		05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
2SSWAF	2G	36.11			00.86	01.76	00.48	05.69	00.13	01.04	00.62	00.10	00.67	16.04	05.50	01.30	01.09	00.78	00.05
3 C		37.72						05.60	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3CAF	27	41.61				03.80		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3CKF	28	41.11				03.30		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3CPF	3I	40.75				02.94		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05

School District	IBM Code	Total Levy	Lakewood Hills	Water District	Sewer District	Fire District	Fire Bonds	Ord County	Charles Lea Center	Library	Tech School	Storm Fund	Co Debt Service	Current School	School Bonds	General School	McCarthy Teszler	Voc School	Co Wide Fire
3DF	36	41.81				04.00		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3GF	25	39.86				02.05		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3GF H	250	39.77				02.05		05.60	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3LWCKF	33	41.11				03.30		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3MF	3A	41.64				03.00	00.83	05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3PF	30	39.81				02.00		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3PF H		39.72				02.00		05.60	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3RF		41.33				03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SS		38.67			00.86			05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SS C	3F	38.58			00.86			05.60	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSCAF	3C	42.47			00.86	03.80		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSCKF	3E	41.97			00.86	03.30		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSCPF	3R	41.61			00.86	02.94		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSDF	3M	42.67			00.86	04.00		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSGF	3D	40.72			00.86	02.05		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSLWCKF	3H	41.97			00.86	03.30		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSMF	3P	42.50			00.86	03.00	00.83	05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSPF	3G	40.67			00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSPF H	3G	40.58			00.86	02.00		05.60	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSRF		42.19			00.86	03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3SSWAF	3N	40.91			00.86	01.76	00.48	05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
3WAF	34	40.05				01.76	00.48	05.69	00.13	01.04	00.62	00.10	00.67	20.42	05.68	01.30	01.09	01.02	00.05
4GSF	4G	34.80				01.50		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4PBF	4N	36.00				02.70		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4PSF	4L	35.30				02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4REF	10	35.26				01.96		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4SSPSF	7T	36.16			00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4SSREF	9N	36.12			00.86	01.96		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4SSWWPSF	7U	36.96		00.80	00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4SSWWREF	7Y	36.92		00.80	00.86	01.96		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4SSWWTAF		37.95		00.80	00.86	02.99		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05

School District	IBM Code	Total Levy	Lakewood Hills	Water District	Sewer District	Fire District	Fire Bonds	Ord County	Charles Lea Center	Library	Tech School	Storm Fund	Co Debt Service	Current School	School Bonds	General School	McCarthy Teszler	Voc School	Co Wide Fire
4TAF		36.29				02.99		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4WWPBF	4P	36.80		00.80		02.70		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4WWPSF	4M	36.10		00.80		02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4WWREF	4K	36.06		00.80		01.96		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4WWTAF		37.09		00.80		02.99		05.69	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4WWTAF J		37.00		00.80		02.99		05.60	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
4WWWRTFJ		37.00		00.80		02.99		05.60	00.13	01.04	00.62	00.10	00.67	17.74	04.25	01.30	01.09	00.62	00.05
5		31.67						05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5 D		31.58						05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5 L		30.78						04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5DUF	5K	34.18				01.66	00.85	05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5DUF D		34.09				01.66	00.85	05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5DUF I		34.09				01.66	00.85	05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5DUF L		33.29				01.66	00.85	04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5EGF	5I	35.52				03.85		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5EGF L		34.63				03.85		04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5HSF	90	34.86				03.19		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5NSF	5G	34.77				03.10		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5PBF	39	34.37				02.70		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5PBF L		33.48				02.70		04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5PSF	5A	33.67				02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5REF	23	33.63				01.96		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5REF L		32.74				01.96		04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SF	46	35.07				03.40		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SF I		34.98				03.40		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSPSF	7S	34.53			00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSREF	7R	34.49			00.86	01.96		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSSW L	5E	32.80		01.16	00.86			04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSSWNSF	5U	36.79		01.16	00.86	03.10		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSSWPSD		35.60		01.16	00.86	02.00		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSSWPSF	5H	35.69		01.16	00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05

School District	IBM Code	Total Levy	Lakewood Hills	Water District	Sewer District	Fire District	Fire Bonds	Ord County	Charles Lea Center	Library	Tech School	Storm Fund	Co Debt Service	Current School	School Bonds	General School	McCarthy Teszler	Voc School	Co Wide Fire
5SSSWPST		37.29	01.60	01.16	00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSSWRED		35.56		01.16	00.86	01.96		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSSWREF	9P	35.65		01.16	00.86	01.96		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSSWRER	9P	35.56		01.16	00.86	01.96		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSWSF	5R	37.09		01.16	00.86	03.40		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSSWWF	5S	36.39		01.16	00.86	02.70		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SSWF	5T	35.23			00.86	02.70		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SW	45	32.83		01.16				05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SW D		32.74		01.16				05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SW L		31.94		01.16				04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWDUF	5L	35.34		01.16		01.66	00.85	05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWDUF D		35.25		01.16		01.66	00.85	05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWDUF I		35.25		01.16		01.66	00.85	05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWDUF L		34.45		01.16		01.66	00.85	04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWNSF	5F	35.93		01.16		03.10		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWNSF G		35.84		01.16		03.10		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWNSF I		35.84		01.16		03.10		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWPBF	5P	35.53		01.16		02.70		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWPSF	5B	34.83		01.16		02.00		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWPSF D		34.74		01.16		02.00		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWREF	73	34.79		01.16		01.96		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWREF D		34.70		01.16		01.96		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWREF L		33.90		01.16		01.96		04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWSF	47	36.23		01.16		03.40		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWSF D	470	36.14		01.16		03.40		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWSF I		36.14		01.16		03.40		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWTR		35.48		01.16		02.65		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWTR D		35.39		01.16		02.65		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWTR G		35.39		01.16		02.65		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWTR Q		34.59		01.16		02.65		04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
5SWTR V		35.39		01.16		02.65		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05

School District	IBM Code	Total Levy	Lakewood Hills	Water District	Sewer District	Fire District	Fire Bonds	Ord County	Charles Lea Center	Library	Tech School	Storm Fund	Co Debt Service	Current School	School Bonds	General School	McCarthy Teszler	Voc School	Co Wide Fire
5TR		34.32				02.65		05.69	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5TR D		34.23				02.65		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5TR G		34.23				02.65		05.60	00.13	01.04	00.62	00.10	00.67	17.10	03.26	01.30	01.09	00.62	00.05
5TR Q		33.43				02.65		04.90	00.13	01.04	00.62		00.67	17.10	03.26	01.30	01.09	00.62	00.05
6GSF	41	33.13				01.50		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6ICF	6G	33.88				02.25		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6IW E		31.54						05.60	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6IWICF	6H	33.88				02.25		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6IWNSF	71	34.73				03.10		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6IWNSF E		34.64				03.10		05.60	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6NSF	61	34.73				03.10		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6NSF I		34.64				03.10		05.60	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6PSF	6B	33.63				02.00		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6RF	62	35.15				03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SS	54	32.49			00.86			05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SS Z	24	31.60			00.86			04.90	00.13	01.04	00.62		00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSHf	56	38.13			00.86	04.70	00.94	05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSIWNSF	6T	35.59			00.86	03.10		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSMWHF	8A	44.72		06.59	00.86	04.70	00.94	05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSMWNS		42.18		06.59	00.86	03.10		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSNSF	57	35.59			00.86	03.10		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSPSF	05	34.49			00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSRF	6N	36.01			00.86	03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSSW	72	33.65		01.16	00.86			05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSSWNSF	66	36.75		01.16	00.86	03.10		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSSWPSF	6W	35.65		01.16	00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSSWUCF	89	36.10		01.16	00.86	02.45		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSSWWF	51	36.35		01.16	00.86	02.70		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSUCF	6U	34.94			00.86	02.45		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSWF	58	35.19			00.86	02.70		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSWW Z		32.40		00.80	00.86			04.90	00.13	01.04	00.62		00.67	15.60	04.72	01.30	01.09	00.62	00.05

School District	IBM Code	Total Levy	Lakewood Hills	Water District	Sewer District	Fire District	Fire Bonds	Ord County	Charles Lea Center	Library	Tech School	Storm Fund	Co Debt Service	Current School	School Bonds	General School	McCarthy Teszler	Voc School	Co Wide Fire
6SSWWPSF		35.29		00.80	00.86	02.00		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SSWWRF	6A	36.81		00.80	00.86	03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SWNSF	68	35.89		01.16		03.10		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6SWNSF I		35.80		01.16		03.10		05.60	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6WF	70	34.33				02.70		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6WW	63	32.43		00.80				05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6WWGSF	6J	33.93		00.80		01.50		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6WWPSF	6D	34.43		00.80		02.00		05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
6WWRF	65	35.95		00.80		03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	15.60	04.72	01.30	01.09	00.62	00.05
7CAF	76	41.27				03.80		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7DF	78	41.47				04.00		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7DF Z		40.58				04.00		04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7GF	92	39.52				02.05		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7RF		40.99				03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7RF Z		40.10				03.40	00.12	04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SS	94	38.33			00.86			05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SS Z	94	37.44			00.86			04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSCAF	7B	42.13			00.86	03.80		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSCAF Z		41.24			00.86	03.80		04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSCKF	7F	41.63			00.86	03.30		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSDCF	7K	39.61			00.86	01.28		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSDF	99	42.33			00.86	04.00		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSEDP Z		37.44			00.86			04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSGF	93	40.38			00.86	02.05		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSGF Z		39.49			00.86	02.05		04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSHF	87	43.97			00.86	04.70	00.94	05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSHF Z		43.08			00.86	04.70	00.94	04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSHM Z		37.44			00.86			04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSLWCKF	7G	41.63			00.86	03.30		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSLWWAF	7E	40.57			00.86	01.76	00.48	05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSRF		41.85			00.86	03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05

School District	IBM Code	Total Levy	Lakewood Hills	Water District	Sewer District	Fire District	Fire Bonds	Ord County	Charles Lea Center	Library	Tech School	Storm Fund	Co Debt Service	Current School	School Bonds	General School	McCarthy Teszler	Voc School	Co Wide Fire
7SSRF Z		40.96			00.86	03.40	00.12	04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSSD Z		37.44			00.86			04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSUCF	7J	40.78			00.86	02.45		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSUCF Z		39.89			00.86	02.45		04.90	00.13	01.04	00.62		00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSWAF	88	40.57			00.86	01.76	00.48	05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSWF	95	41.03			00.86	02.70		05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7SSWWRF		42.65		00.80	00.86	03.40	00.12	05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
7WAF	91	39.71				01.76	00.48	05.69	00.13	01.04	00.62	00.10	00.67	18.36	07.40	01.30	01.09	01.02	00.05
9		29.07						05.69	00.13	01.04	00.62	00.10	00.67	15.67	05.10				00.05
9 L		28.18						04.90	00.13	01.04	00.62		00.67	15.67	05.10				00.05
9EGF		32.92				03.85		05.69	00.13	01.04	00.62	00.10	00.67	15.67	05.10				00.05
9EGF L		32.03				03.85		04.90	00.13	01.04	00.62		00.67	15.67	05.10				00.05
9PBF		31.77				02.70		05.69	00.13	01.04	00.62	00.10	00.67	15.67	05.10				00.05
9PBF L		30.88				02.70		04.90	00.13	01.04	00.62		00.67	15.67	05.10				00.05
9SWTR		32.88		01.16		02.65		05.69	00.13	01.04	00.62	00.10	00.67	15.67	05.10				00.05
9SWTRLHS		33.63	00.75	01.16		02.65		05.69	00.13	01.04	00.62	00.10	00.67	15.67	05.10				00.05
9TRF		31.72				02.65		05.69	00.13	01.04	00.62	00.10	00.67	15.67	05.10				00.05
9TRF Q		30.83				02.65		04.90	00.13	01.04	00.62		00.67	15.67	05.10				00.05
9TRLHS		32.47	00.75			02.65		05.69	00.13	01.04	00.62	00.10	00.67	15.67	05.10				00.05